





BUILT TO PERFORM

TECHNICAL SPECIFICATIONS		AFX 5100	
Engine		Dimensions Carrier	
Type	Mecedes	Length	384in
Model	906	Width	96in
Cylinders	In-Line 6	Height	93in
Exhaust	Exhaust Purifier		
Electrical	24 volt	Performance	
		1st Gear	3 km/h
Powertrain Transmission		2nd Gear	7 km/h
Transmission	Clark Hurth	3rd Gear	22 km/h
Series	T32000		
Gears forward	Three (3)	Weight	
Gears reverse	Three (3)	Net	33,700lbs
4 wheel drive	Yes		
		Carrier	
Axles		Rops/Fops	Yes
Planetary Type	Yes	Passenger seat	Yes
Rear	Fixed	Fire Suppression	Yes
Front	Oscillation	Lockable Master Safe	Yes
		Entry/exit 3 point	Yes
Brakes			
Service	4 Wheel Wet Disc 4 Wheel Wet	Additional Options	
Emergency	Disc+Wet disc driveline	Engine	Mercedez 904 Water Cooled (148hp)
Park	4 Wheel Wet Disc+Wet disc driveline	Enclosed Cab	A/C or heat
		LED lights	24 volts
Man Basket Platform		Lubrication system	Lincoln
Vertical Reach	20 feet	Tool Compartment	Custom built
Deck capacity	900lbs	Fast Fuel System	Wiggins
Boom slew	30 degrees each way	Compressor	Hydraulic driven
Anfo package	500lbs. other options availables	Spare tire and rim	1200 x 20
Stabilizers	Hydraulic	Power Pack	Air over hydraulic
Diesel start/stop front platform	Optional	Custom	Other custom-built options available


At JS Manufacturing, engineering is a process of continuous improvement: therefore, specifications are subject to change without notice.



PLAN VIEW



SIDE VIEW



TURNING RADIUS